L Number	Hits	Search Text	DB	Time stamp
-	273	(data adj processing) and (ordered adj list) and parallel and @ad<=19990902	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/14 14:12
-	51	((data adj processing) and (ordered adj list) and parallel and @ad<=19990902) and (top with list)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/03/21 13:36
_	120	((data adj processing) and (ordered adj list) and parallel and @ad<=19990902) and ((top or start\$4 or begin\$4) with list)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/03/20 14:17
-	6	(insert and remove) same (ordered adj list) and @ad<=19990902	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/03/20 14:27
-	140	(display\$4 or output\$4) and (ordered adj list).ab. and @ad<=19990902	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/03/20 15:40
-	17	(display\$4 or output\$4) and (ordered adj list).ti. and @ad<=19990902	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/03/20 15:13
-	17	((display\$4 or output\$4) and (ordered adj list).ab. and @ad<=19990902) and ((display\$4 or output\$4) with (top or start or begin\$5 or front))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/03/20 15:19
_	9	((display\$4 or output\$4) and (ordered adj list).ab. and @ad<=19990902) and insert and remove	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/03/20 15:17
_	7	((display\$4 or output\$4) and (ordered adj list).ab. and @ad<=19990902) and ((display\$4 or output\$4) with (top or start or begin\$5 or front)) with list	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/20 15:21
_	7	((display\$4 or output\$4) and (ordered adj list).ab. and @ad<=19990902) and (((display\$4 or output\$4) with (top or start or begin\$5 or front)) with list)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/16 15:23
-	3	adj list).ab. and @ad<=19990902) and (((display\$4 or output\$4) with (top or start or begin\$5 or front)) with list))	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/03/20 15:35
_	33	and activity (display or outout) and (ordered adj list) and ((tracking or monitoring) with activity) and @ad<=19990902	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/03/20 15:39
_	0	((ordered adj list) and (track\$4 or monitor\$4) with activit\$3).ab. and @ad<=19990902	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/03/20 15:42
_	9	((ordered adj list) and (track\$4 or monitor\$4)).ab. and @ad<=19990902	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/20 15:49

Search History 5/16/04 5:11:27 PM Page 1

			-	
-	1	(((ordered adj list) and (track\$4 or monitor\$4)).ab. and @ad<=19990902) and remov\$5 and insert\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/03/20 15:45
-	1	((((ordered adj list) and (track\$4 or monitor\$4)).ab. and @ad<=19990902) and remov\$5 and insert\$4) and (display\$4 or output\$5)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/03/20 15:45
-	22	(maint\$8 with (ordered adj list)).ab. and @ad<=19990902	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/03/20 15:55
-	9	((maint\$8 with (ordered adj list)).ab. and @ad<=19990902) and (track\$4 or monitor\$4)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/20 15:55
_	120	(maint\$8 with (ordered adj list)) and (track\$4 or monitor\$4) and (insert\$4 and (remov\$4 or delet\$4)) and @ad<=19990902	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/20 15:57
-	505	((display\$4 or output\$5) adj (latest or newest or current)) with (list or queue or stack or heap)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/21 11:14
-	339	(((display\$4 or output\$5) adj (latest or newest or current)) with (list or queue or stack or heap)) and @ad<=19990902	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/21 11:17
-	159	((((display\$4 or output\$5) adj (latest or newest or current)) with (list or queue or stack or heap)) and @ad<=19990902) and configuration	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/21 12:43
-	2	((((display\$4 or output\$5) adj (latest or newest or current)) with activit\$4 with (list or queue or stack or heap)) and @ad<=19990902) and configuration	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/21 12:45
-	11	(US-6349320-\$ or US-6138123-\$ or US-4890257-\$ or US-6295534-\$ or US-6470362-\$ or US-6351754-\$ or US-6253212-\$ or US-6074299-\$ or US-6249520-\$).did. or (JP-63231543-\$).did. or (US-4943968-\$).did.	USPAT; JPO; DERWENT	2003/03/21 12:48
-	4	((US-6349320-\$ or US-6138123-\$ or US-4890257-\$ or US-6295534-\$ or US-6470362-\$ or US-6351754-\$ or US-6253212-\$ or US-6074299-\$ or US-6249520-\$).did. or (JP-63231543-\$).did. or (US-4943968-\$).did.) and parallel	USPAT	2003/03/21 12:49
-	270		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/21 13:38
-	190	((ordered adj list) and (configur\$6 with devices)) and @ad<=19990902	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/21 13:37

			-	
-	105	(ordered adj list) and (configur\$6 near3 devices) and @ad<=19990902	USPAT; US-PGPUB;	2003/03/21 13:39
			EPO; JPO; DERWENT;	
-	88	(ordered adj list) and (configur\$6 near2 devices) and @ad<=19990902	IBM_TDB USPAT; US-PGPUB;	2003/03/21 13:42
		devices, and edax issues	EPO; JPO; DERWENT;	
_	3	(ordered adj list) same (configur\$6 near2	IBM_TDB USPAT;	2003/03/21
		devices) and @ad<=19990902	US-PGPUB; EPO; JPO;	13:42
_	166576	list and @ad<=19990902	DERWENT; IBM_TDB USPAT;	2004/05/14
	100070	TIBO and cad Topoopol	US-PGPUB; EPO; JPO;	18:03
	7708	(list and @ad<=19990902) and stack and	DERWENT; IBM_TDB USPAT;	2003/12/04
	7708	top	US-PGPUB; EPO; JPO;	16:23
			DERWENT; IBM_TDB	
-	119	((list and @ad<=19990902) and stack and top) and (insert with top)	USPAT; US-PGPUB; EPO; JPO;	2003/12/04 16:23
			DERWENT; IBM TDB	
_	81586	configur\$8 with devices	USPAT; US-PGPUB; EPO; JPO;	2004/04/24 14:19
			DERWENT; IBM TDB	
_	23058	(configur\$8 with devices) and (list queue stack)	USPAT; US-PGPUB;	2004/04/24 14:19
			EPO; JPO; DERWENT; IBM TDB	
_	9526	((configur\$8 with devices) and (list queue stack)) and @ad<=19990902	USPAT; US-PGPUB;	2004/04/24 15:28
			EPO; JPO; DERWENT; IBM TDB	
_	1594	(((configur\$8 with devices) and (list queue stack)) and @ad<=19990902) and	USPAT; US-PGPUB;	2004/04/24
		((complet\$4 remov\$4 delet\$4 pop\$4) near3 (stack list queue))	EPO; JPO; DERWENT;	
_	57	((((configur\$8 with devices) and (list queue stack)) and @ad<=19990902) and	IBM_TDB USPAT; US-PGPUB;	2004/04/24
		((complet\$4 remov\$4 delet\$4 pop\$4) near3 (stack list queue))) and (configur\$6 with	EPO; JPO; DERWENT;	
-	48	<pre>devices).ab. (((((configur\$8 with devices) and (list queue stack)) and @ad<=19990902) and</pre>	IBM_TDB USPAT; US-PGPUB;	2004/04/24
		((complet\$4 remov\$4 delet\$4 pop\$4) near3 (stack list queue))) and (configur\$6 with	EPO; JPO; DERWENT;	
_	11	<pre>devices).ab.) not international.as. ((((((configur\$8 with devices) and (list queue stack)) and @ad<=19990902) and</pre>	IBM_TDB USPAT; US-PGPUB;	2004/04/24
		((complet\$4 remov\$4 delet\$4 pop\$4) near3 (stack list queue))) and (configur\$6 with	EPO; JPO; DERWENT;	11.25
		<pre>devices).ab.) not international.as.) and (configur\$6 with (start\$4 begin\$4 begun))</pre>	IBM_TDB	

-	13	(US-6349320-\$ or US-6138123-\$ or US-6119185-\$ or US-5113522-\$ or	USPAT; JPO;	2004/04/24 14:49
	:	US-4890257-\$ or US-6295534-\$ or	DERWENT	
		US-6470362-\$ or US-6351754-\$ or US-6253212-\$ or US-6074299-\$ or		
	:	US-6249520-\$).did. or		
		(JP-63231543-\$).did. or		
		(US-4943968-\$).did.		
-	7	((US-6349320-\$ or US-6138123-\$ or	USPAT	2004/04/24
		US-6119185-\$ or US-5113522-\$ or US-4890257-\$ or US-6295534-\$ or		14:48
		US-6470362-\$ or US-6351754-\$ or		
		US-6253212-\$ or US-6074299-\$ or		
		US-6249520-\$).did. or		
		(JP-63231543-\$).did. or (US-4943968-\$).did.) and ((delet\$4		
		remov\$4) with (stack list))		
_	1	("6389447").PN.	USPAT	2004/04/24
	1	(/UC390447U) PN \ and /dalate4 name==04	IICD A III	14:49 2004/04/24
_	1	(("6389447").PN.) and (delet\$4 remov\$4 pop\$4)	USPAT	14:51
-	0	(("6389447").PN.) and parallel	USPAT	2004/04/24
	_			14:52
-	0	(display\$3 near5 (top near3 stack)) and	USPAT	2004/04/24
_	46	g06f\$.ipc (display\$3 near5 (top near3 stack)) and	USPAT	14:53 2004/04/24
]	g06f\$.ipc.		15:36
-	39	((display\$3 near5 (top near3 stack)) and	USPAT	2004/04/24
	32	g06f\$.ipc.) and list	***	14:53 2004/04/24
-	32	(((display\$3 near5 (top near3 stack)) and g06f\$.ipc.) and list) not	USPAT	15:42
		international.as.		101.12
-	27	((((display\$3 near5 (top near3 stack))	USPAT;	2004/04/24
		and g06f\$.ipc.) and list) not international.as.) and @ad<=19990902	US-PGPUB; EPO; JPO;	14:54
		Internacional.as., and ead\-19990902	DERWENT;	
			IBM_TDB	
-	9	((((display\$3 near5 (top near3 stack))	USPAT;	2004/04/24
		and g06f\$.ipc.) and list) not international.as.) and @ad<=19990902) and	US-PGPUB; EPO; JPO;	14:54
		parallel	DERWENT;	
	_		IBM_TDB	
-	0	((((((configur\$8 with devices) and (list queue stack)) and @ad<=19990902) and	USPAT; US-PGPUB;	2004/04/24 15:07
		queue stack)) and @ad<=19990902) and ((complet\$4 remov\$4 delet\$4 pop\$4) near3	EPO; JPO;	12:07
		(stack list queue))) and (configur\$6 with	DERWENT;	
]		devices).ab.) not international.as.) and	IBM_TDB	
1_	149	(display\$3 near3 previous) (((configur\$8 with devices) and (list	IICDAT.	2004/04/24
-	149	queue stack)) and @ad<=19990902) and	USPAT; US-PGPUB;	15:11
		(display\$3 near3 previous)	EPO; JPO;	= - ·
			DERWENT;	
<u> </u>	138	((((configur\$8 with devices) and (list	IBM_TDB USPAT;	2004/04/24
	130	queue stack)) and @ad<=19990902) and	US-PGPUB;	15:28
		(display\$3 near3 previous)) not	EPO; JPO;	
		international.as.	DERWENT;	
_	8	 (display\$3 near3 previous) with	<pre>IBM_TDB USPAT;</pre>	2004/04/24
		(displays) hears previous, with (configur\$6 near3 device)	US-PGPUB;	15:23
		·	EPO; JPO;	
			DERWENT;	
_	12779	((insert\$3 push\$3 enque\$4 insert\$3) near3	<pre>IBM_TDB USPAT;</pre>	2004/04/24
	16113	((Inserts) pushes enquest inserts) nears configuration) and device	US-PGPUB;	15:27
			EPO; JPO;	
			DERWENT;	
			IBM TDB	

			_	
-	587	(((insert\$3 push\$3 enque\$4 insert\$3) near3 configuration) and device) and g06f\$.ipc.	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/24 15:28
-	547	<pre>((((insert\$3 push\$3 enque\$4 insert\$3) near3 configuration) and device) and g06f\$.ipc.) not international.as.</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/24 15:28
_	241	(((((insert\$3 push\$3 enque\$4 insert\$3) near3 configuration) and device) and g06f\$.ipc.) not international.as.) and @ad<=19990902	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/24 15:42
-	7	((display\$3 near5 (top near3 stack)) and g06f\$.ipc.) and (configurat\$4 same devices)	USPAT	2004/04/24 15:34
-	14	(display\$3 near5 (top near3 stack)) and g06f\$.ipc. and ((configuration configuring) with device)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/24 15:41
-	1695	g06f\$.ipc. and (((configuration configuring) with device) same (stack list queue))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/24 15:43
_	852	<pre>g06f\$.ipc. and (((configuration configuring) with device) with (stack list queue))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/24 15:44
-	316	<pre>(g06f\$.ipc. and (((configuration configuring) with device) with (stack list queue))) not international.as.</pre>	USPĀT	2004/04/24 15:43
_	243	((g06f\$.ipc. and (((configuration configuring) with device) with (stack list queue))) not international.as.) and @ad<=19990902	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/24 15:43
_	339	<pre>g06f\$.ipc. and (((configuration configuring) near3 device) with (stack list queue))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/24 15:43
-	119	(g06f\$.ipc. and (((configuration configuring) near3 device) with (stack list queue))) not international.as.	USPĀT	2004/04/24 15:44
-	92	((g06f\$.ipc. and (((configuration configuring) near3 device) with (stack list queue))) not international.as.) and @ad<=19990902	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/24 15:45
-	305	<pre>g06f\$.ipc. and (((configuration configuring) near3 device) with (stack list))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/24 15:45
-	103	<pre>(g06f\$.ipc. and (((configuration configuring) near3 device) with (stack list))) not international.as.</pre>	USPAT	2004/04/24 15:46
-	80	((g06f\$.ipc. and (((configuration configuring) near3 device) with (stack list))) not international.as.) and @ad<=19990902	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/24 15:52
-	45	g06f\$.ipc. and (((configuration configuring) near3 device) with (stack))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/24 15:45

			_	
_	19	configuring) near3 device) with (stack)))	USPAT	2004/04/24 15:55
_	16	not international.as. ((g06f\$.ipc. and (((configuration configuring) near3 device) with (stack))) not international.as.) and @ad<=19990902	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/24 15:52
-	637	(determin\$4 adj configuration) with device	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/24 15:52
-	37	((determin\$4 adj configuration) with device) same (list stack)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/24 15:55
-	13	(((determin\$4 adj configuration) with device) same (list stack)) and @ad<=19990902	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/24 15:55
_	53	((determin\$4 adj configuration) with device) and stack	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/24 15:55
_	25	(((determin\$4 adj configuration) with device) and stack) not international.as.	IBM_TDB USPAT	2004/04/24
	19	((((determin\$4 adj configuration) with device) and stack) not international.as.) and @ad<=19990902	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/24
-	3078	(device near3 configur\$) same (list queue stack)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/14 14:28
_	1146	((device near3 configur\$) same (list queue stack)) and @ad<=19990902	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/14 14:37
-	25429	(display\$3) near3 status	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/14 14:35
_	7815	((display\$3) near3 status) and parallel	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/14 14:35
_	141	((display\$3) near3 status) and (parallel with activities)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/14 14:36
_	148	((display\$3) near3 status) and (parallel with activit\$)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/14 14:37
-	13	<pre>(((display\$3) near3 status) and (parallel with activit\$)) and (display\$3 with fail\$)</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/14 14:37

			_	
-	9	((((display\$3) near3 status) and (parallel with activit\$)) and (display\$3 with fail\$)) and @ad<=19990902	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/14 14:47
-	79	<pre>(monitor\$3 track\$3 trac\$3) with (display\$3 with (previous and status))</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/14 14:47
-	37	((monitor\$3 track\$3 trac\$3) with (display\$3 with (previous and status))) and @ad<=19990902	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/14
_	4	(((monitor\$3 track\$3 trac\$3) with (display\$3 with (previous and status))) and @ad<=19990902) and (configur\$ with device)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/14 18:01
-	7647	(config\$ with devices).ab.	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/05/14 18:31
-	8	((config\$ with devices).ab.) and (display\$3 near3 previous)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/14 18:02
_	4	(((config\$ with devices).ab.) and (display\$3 near3 previous)) and @ad<=19990902	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/14 19:59
-	4212	((config\$ with devices).ab.) and @ad<=19990902	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/05/14 18:26
	282	(((config\$ with devices).ab.) and @ad<=19990902) and (stack queue)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/14 18:27
-	104	(((config\$ with devices).ab.) and @ad<=19990902) and (stack queue) and list	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/14 18:27
-	102	((((config\$ with devices).ab.) and @ad<=19990902) and (stack queue) and list) and configuration	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/14 18:28
-	13	(((((config\$ with devices).ab.) and @ad<=19990902) and (stack queue) and list) and configuration) and ((track\$3 monitor\$3) near3 activities)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/14 18:28
-	1048	(config\$ with devices).ti.	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/05/14 18:32
-	563	((config\$ with devices).ti.) and @ad<=19990902	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/14 18:35

-	22	(((config\$ with devices).ti.) and	USPAT;	2004/05/14
		@ad<=19990902) and ((config\$ near3	US-PGPUB;	18:37
		device) with (list stack queue))	EPO; JPO;	
			DERWENT; IBM TDB	
l _	1	(((config\$ with devices).ti.) and	USPAT;	2004/05/14
	_	@ad<=19990902) and ((config\$ near3	US-PGPUB;	18:37
		device) and (ordered adj list))	EPO; JPO;	20,0,
		,	DERWENT;	
			IBM_TDB	
-	1	((US-6389447-\$).did.) and device	USPAT	2004/05/14
				19:58
-	2 '	(top near3 stack) with (device adj	USPAT	2004/05/14
l _	80	config\$) stack with (device adj config\$)	USPAT	19:59 2004/05/14
_	00	Stack with (device ad) confrgy)	ODIAL	19:59
_	48	(stack with (device adj config\$)) and	USPAT;	2004/05/15
		@ad<=19990902	US-PGPUB;	11:23
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	13082	710/\$.ccls. and @ad<=19990902	USPAT;	2004/05/15
			US-PGPUB;	12:20
			EPO; JPO; DERWENT;	
			IBM TDB	
_	449	(710/\$.ccls. and @ad<=19990902) and	USPAT;	2004/05/15
		(config\$ near3 (complet\$3 finish\$3 done))	US-PGPUB;	12:21
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	23		USPAT;	2004/05/15
		(config\$ near3 (complet\$3 finish\$3	US-PGPUB;	11:41
		done))) and (config\$ with stack)	EPO; JPO; DERWENT;	
	1		IBM TDB	
_	1	("6529964").PN.	USPAT	2004/05/15
	1			11:45
-	1	("5768542").PN.	USPAT	2004/05/15
		/710/4		11:45
_	67		USPAT;	2004/05/15
		((config\$ near3 device) with (list stack queue))	US-PGPUB; EPO; JPO;	12:06
	1	queue//	DERWENT;	
			IBM TDB	
-	37	((710/\$.ccls. and @ad<=19990902) and	USPAT;	2004/05/15
		((config\$ near3 device) with (list stack	US-PGPUB;	12:07
	1	queue))) and ((insert\$3 push\$3 pop\$4	EPO; JPO;	
		delet\$3 plac\$3 add\$3 enter\$3) near3 (list	DERWENT;	
		stack queue))	IBM_TDB	2004/05/15
-	23	(710/\$.ccls. and @ad<=19990902) and (configurations adj (list stack queue))	USPAT;	2004/05/15
	1	(confrigurations adj (fist stack queue))	US-PGPUB; EPO; JPO;	12.21
	1		DERWENT;	
			IBM TDB	
-	19	((710/\$.ccls. and @ad<=19990902) and	USPAT;	2004/05/15
		(configurations adj (list stack queue)))	US-PGPUB;	12:24
	1	not international.as.	EPO; JPO;	
			DERWENT;	
	_	///710/01	IBM_TDB	2004/05/15
-	7		USPAT; US-PGPUB;	2004/05/15 18:50
	1	<pre>(configurations adj (list stack queue))) not international.as.) and (config\$ near3</pre>	EPO; JPO;	10:30
	1	devices)	DERWENT;	
	1		IBM TDB	
-	125909	config\$ near3 device	USPAT;	2004/05/15
	}	-	US-PGPUB;	18:51
			EPO; JPO;	
			DERWENT;	
1		<u> </u>	IBM_TDB	1

-	1756	config\$ adj (stack list)	USPAT;	2004/05/15
		,	US-PGPUB;	18:51
			EPO; JPO;	
			DERWENT;	į
			IBM_TDB	
-	372	(config\$ near3 device) and (config\$ adj	USPAT;	2004/05/15
		(stack list))	US-PGPUB;	18:52
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	4	(USPAT;	2004/05/15
		(stack list))) and (config\$3 near	US-PGPUB;	18:52
		(start\$3 beg\$6))	EPO; JPO; DERWENT;	
			IBM TDB	
_	1	(((config\$ near3 device) and (config\$ adj	USPAT;	2004/05/15
_	1	((stack list))) and (config\$3 near	US-PGPUB;	18:56
		(start\$3 beg\$6))) and @ad<=19990902	EPO; JPO;	10.30
		(Scarcys beggo))) and ead(=15550502	DERWENT;	
	[IBM TDB	
l _	355	(configuration adj stack) and	USPAT;	2004/05/15
	333	@ad<=19990902	US-PGPUB;	18:58
			EPO; JPO;	1
			DERWENT;	
			IBM TDB	
-	58	((configuration adj stack) and	USPAT;	2004/05/15
		@ad<=19990902) and (config\$ with device)	US-PGPUB;	18:58
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1		USPAT;	2004/05/15
		@ad<=19990902) and (config\$ with device))	US-PGPUB;	18:57
		and 310/\$.ccls.	EPO; JPO;	
			DERWENT;	
			IBM_TDB	0004/05/15
_	218	(configuration adj (list queue)) and	USPAT;	2004/05/15
		@ad<=19990902	US-PGPUB;	18:58
			EPO; JPO;	
		, ,	DERWENT;	
_	68	((configuration adj (list queue)) and	IBM_TDB USPAT;	2004/05/15
		((configuration ad) (fist queue)) and (@ad<=19990902) and (config\$ with device)	US-PGPUB;	18:58
		Guar 19990902; and (contrag) with device;	EPO; JPO;	1 23.33
			DERWENT;	
}			IBM TDB	1
l -	26	(US-6249520-\$ or US-6389447-\$ or	USPAT;	2004/05/16
		US-5430839-\$ or US-6470362-\$ or	US-PGPUB;	15:21
		US-6349320-\$ or US-6138123-\$ or	JPO;	
		US-6119185-\$ or US-6253212-\$ or	DERWENT	
		US-6074299-\$ or US-6351754-\$ or		
		US-6457069-\$ or US-4890257-\$ or		1
		US-5113522-\$ or US-6295534-\$ or		
}	}	US-6658202-\$ or US-6125408-\$ or		
	1	US-5991826-\$ or US-5748980-\$ or		
		US-6349306-\$ or US-5872928-\$ or		
		US-5592373-\$ or US-5109484-\$ or		
		US-5056001-\$).did. or		
		(US-20030041088-\$).did. or		
-		(JP-63231543-\$).did. or		
l		(US-4943968-\$).did.	<u> </u>	

-	1	((US-6249520-\$ or US-6389447-\$ or US-5430839-\$ or US-6470362-\$ or	USPAT	2004/05/16 15:22
		US-6349320-\$ or US-6138123-\$ or		
		US-6119185-\$ or US-6253212-\$ or		
		US-6074299-\$ or US-6351754-\$ or		
		US-6457069-\$ or US-4890257-\$ or		
		US-5113522-\$ or US-6295534-\$ or		
		US-6658202-\$ or US-6125408-\$ or		
		US-5991826-\$ or US-5748980-\$ or		
		US-6349306-\$ or US-5872928-\$ or		
		US-5592373-\$ or US-5109484-\$ or		
		US-5056001-\$).did. or		
		(US-20030041088-\$).did. or		
		(JP-63231543-\$).did. or		
		(US-4943968-\$).did.) and (previous near3		
	_	device)		0004/05/05
-	7	(display\$3 near3 (previous near	USPAT	2004/05/16
	_	configuration))		15:25
-	6	((display\$3 near3 (previous near	USPAT;	2004/05/16
]		configuration))) and @ad<=19990902	US-PGPUB;	15:29
			EPO; JPO;	
[DERWENT;	[
[/dianlayed noon (noories add	IBM_TDB	2004/05/16
-	1	(display\$3 near (previous adj	USPAT	2004/05/16
		configuration))	HEDATE	15:26
-	0	(display\$3 adj ((previous before	USPAT	2004/05/16
		<pre>preceding earlier prior) adj configuration))</pre>		13:27
	4		USPAT;	2004/05/16
[-		(displayss adjs ((previous before preceding earlier prior) adj	US-PGPUB;	15:28
		configuration))	EPO; JPO;	15.20
		Contrigutation,	DERWENT;	
			IBM TDB	
_	195	((previous before preceding earlier	USPAT;	2004/05/16
	100	prior) near3 (device adj configuration))	US-PGPUB;	15:37
	1		EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	105	(((previous before preceding earlier	USPAT;	2004/05/16
		prior) near3 (device adj configuration)))	US-PGPUB;	15:29
		and @ad<=19990902	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	98	((((previous before preceding earlier	USPAT;	2004/05/16
		<pre>prior) near3 (device adj configuration)))</pre>	US-PGPUB;	15:37
		and @ad<=19990902) not international.as.	EPO; JPO;	
			DERWENT;	1
			IBM_TDB	
-	53	((previous before preceding earlier)	USPĀT;	2004/05/16
		near3 (device adj configuration))	US-PGPUB;	15:37
			EPO; JPO;	
			DERWENT;]
			IBM_TDB	1
-	48	(((previous before preceding earlier)	USPAT;	2004/05/16
1		near3 (device adj configuration))) not	US-PGPUB;	15:37
1		international.as.	EPO; JPO;	
			DERWENT;	
			IBM_TDB	